

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	94	((THOMAS) near2 (NEAL)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/07 14:38
S6	6	((SZE-MOEY) near2 (VOON)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/07 14:38
S7	25	((JOEL) near2 (JACOBS)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/07 14:38
S8	48811	Hewlett-packard.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 14:39
S9	11244	(361/679-686).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 14:39
S10	4509	(206/303-310).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 14:40
S11	0	(369/270).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 14:40
S12	1139	369/270	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 14:40
S13	68112	(post or hub) and (disc or disk) and (body or coupling or element) and (retain \$3 or lock\$4) and (chassis or compartment or opening or aperture)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 14:48
S14	10212	(361/728-759).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 14:49
S15	1081	(S14 or S12 or S10 or S9) and (S13)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 14:50
S16	7000	((post or hub or retain\$3 or lock\$3) adj (disc or disk)) and (body or coupling or element) and (chassis or compartment or opening or aperture)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 14:50

S17	485	(S14 or S12 or S10 or S9) and (S16)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 14:51
S18	11	S16 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 14:58
S19	2	post and retaining and item and "storage compartment" and side and body and "coupling element" and "locking element".clm.	US-PGPUB	OR	ON	2009/01/07 15:05
S20	1	post and retaining and item and "storage compartment" and side and body and "coupling element" and "locking element" and "different position". clm.	US-PGPUB	OR	ON	2009/01/07 15:14
S21	1	post and item and "storage compartment" and sidewall and hinge and "first position" and body and "coupling element" and "different position" and disc. clm.	US-PGPUB	OR	ON	2009/01/07 15:17
S22	0	method and storing and "storage disc" and post and "retracted position" and "extended position" and hole and body and "storage compartment".clm.	US-PGPUB	OR	ON	2009/01/07 15:18

S23	1	method and storing and "storage disc" and post and retracted and position and extended and hole and body and "storage compartment".clm.	US-PGPUB	OR	ON	2009/01/07 15:19
S24	1	(S9 or S10 or S12 or S14) and (S20 and S21 and S23)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 15:20
S25	4033	361/685	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 15:20
S26	4335	312/223.2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 15:20
S27	1	post and retaining and item and "storage compartment" and side and body and "coupling element" and "locking element" and "different positions". clm.	US-PGPUB	OR	ON	2009/01/07 15:23
S28	1	"storage compartment" and bottom and sidewall and post and pivotable and body and "coupling element" and "locking element" and "different positions" and below and surface and bottom.clm.	US-PGPUB	OR	ON	2009/01/07 15:24
S29	1	(S9 or S10 or S12 or S14) and (S27 and S28)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 15:24
S30	2641	312/223.1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 15:48
S31	4335	312/223.2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 15:48

S32	182	(S30 or S31) and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 15:49
S33	0	(S30 or S31) and (S20 and S21 and S23)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 15:49
S34	0	(S30 or S31) and (S27 and S28)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 15:49
S35	1207	206/310	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/07 15:50

1/7/2009 4:01:32 PM

C:\Documents and Settings\iwright\My Documents\EAST\Workspaces\10800280AF.wsp